wac 480-120-500 Telecommunications service quality--General requirements. (1) The facilities of telecommunications companies shall be designed, constructed, maintained, and operated to ensure reasonable continuity of service, uniformity in the quality of service furnished, and the safety of persons and property.

- (2) Telecommunications companies shall employ prudent management and engineering practices, including reasonable procedures for forecasting demand for service, to ensure that sufficient facilities and an adequate operating force are available to meet reasonable demands under normal operations.
- (3) These rules are not intended to establish a standard of care owed by a telecommunications company to any consumer(s) or subscriber(s).

[Statutory Authority: RCW 80.01.040. 93-06-055 (Order R-384, Docket No. UT-921192), § 480-120-500, filed 2/26/93, effective 3/29/93.]

WAC 480-120-505 Operator services. (1) Except as authorized by law, every telecommunications company providing operator services shall protect the confidentiality of all communications carried, processed, or transmitted by it.

- (2) Each local exchange company shall also be required to:
- (a) Develop procedures to be followed by its employees for providing operator assistance to consumers and subscribers;
- (b) Ensure that when automated operator services are provided, consumers and subscribers can also readily access a live operator;
- (c) Ensure that call timing for operator assisted calls is accurately recorded;
- (d) Ensure that all operators receiving 0- and 911 calls are capable of connecting calls to the appropriate emergency response agency on a twenty-four-hour a day basis; and
- (e) Ensure that all emergency 0- calls are routed in a manner that will allow prompt access to the proper local emergency service agency.

[Statutory Authority: RCW 80.01.040. 93-06-055 (Order R-384, Docket No. UT-921192), § 480-120-505, filed 2/26/93, effective 3/29/93.]

WAC 480-120-510 Business offices. Local exchange companies shall provide applicants, consumers, and subscribers reasonable access to company representatives for conducting business. Local exchange companies shall also make available to applicants, consumers and subscribers a location to make cash and urgent payments. An urgent payment is a payment which the company requires upon threat of disconnection of service.

(1) Each local exchange company serving over fifty thousand access lines, shall provide business offices or customer service centers accessible by telephone or in person. Such business

offices and service centers shall be staffed with qualified personnel, including supervisory personnel, to provide information relating to services and rates, to accept and process applications for service, to explain charges on customers' bills, to adjust charges made in error, and generally to act as representatives of the company. If one business office or service center serves several exchanges, toll-free calling from those exchanges to the office shall be provided.

- (2) Each local exchange company serving under fifty thousand access lines, shall have at least one business office or customer service center, accessible by telephone or in person. The business office or service center shall be staffed with qualified personnel, including supervisory personnel, to provide information relating to services and rates, to accept and process applications for service, to explain charges on customers' bills, to adjust charges made in error, and generally to act as representatives of the company. If the business office or service center serves several exchanges, toll-free calling from those exchanges to the office shall be provided.
- (3) Each local exchange company shall establish and maintain payment agencies for receipt of cash and urgent payments. At a minimum, payment agencies required by this rule shall clearly post and maintain regular business hours. Requirements of this section shall be effective ninety days after the effective date of this rule.

The number of payment agencies shall be determined using the following criteria:

- (a) Exchanges serving over seventy-five thousand access lines shall have a minimum of one payment agency for every fifty thousand access lines.
- (b) Exchanges serving twenty-five thousand to seventy-five thousand access lines shall have a minimum of one payment agent.
- (c) Local exchange companies that do not have exchanges that meet the criteria of (a) or (b) of this subsection, shall have a minimum of one payment agency. The local business office of the company can substitute for the payment agency required by this subsection and be supported by the same personnel as the business office or customer service center.
- (4) A local exchange company may request a waiver of subsection (3) of this section. As a condition for waiver, the petitioner must demonstrate applicants, consumers and subscribers have a reasonable opportunity to make cash and urgent payments.
- (5) A local exchange company must provide the following information to the commission, in writing, at least thirty days prior to the closing of any business office, customer service center, or payment agency, or as soon as the local exchange company becomes aware of the closure of any business office, customer service center, or payment agency:
  - (a) The exchange(s) and communities affected by the closing;
  - (b) The date of the closing;
- (c) A listing of other methods and facility locations available for payment of cash or urgent payments; and
- (d) A listing of other methods and locations for obtaining business office and customer service center services.

[Statutory Authority: RCW 80.01.040. 93-06-055 (Order R-384, Docket No. UT-921192), § 480-120-510, filed 2/26/93, effective 3/29/93.]

WAC 480-120-515 Network performance standards applicable to local exchange companies. This section establishes network performance standards which shall be offered by local exchange companies.

Except where otherwise specifically provided, the standards applied to each service quality measurement shall be the minimum acceptable quality of service under normal operating conditions. The standards shall not establish a level of performance to be achieved during periods of emergency or catastrophe, nor shall they apply to extraordinary or abnormal conditions of operation, such as those resulting from work stoppage, holidays, civil unrest, or force majeure, or disruptions of service caused by persons or entities other than the local exchange company.

- (1) Central office.
- (a) Dial service requirements sufficient dial central office capacity and equipment shall be provided to meet the following minimum requirements during any normal busy hour of the average busy season:
- (i) Dial tone within three seconds on at least ninety-eight percent of calls placed.
- (ii) Complete dialing of called numbers on at least ninetyeight percent of telephone calls placed without encountering a busy condition within the central office or in interoffice trunks.
- Intercept dial central office equipment shall be equipped to provide adequate operator or recorded announcement intercept.

Adequate intercept as used in the preceding paragraph means that the central office be so equipped and arranged to permit the interception of calls to all vacant codes and to provide average busy hour, busy season service levels of less than one percent of calls to intercept reaching busy or no circuit conditions.

- (2) Interoffice facilities.
- (a) Local and EAS interoffice trunk facilities shall have a minimum engineering design standard of B.01 (P.01) level of service.
- (b) Intertoll and intertandem facilities shall have a minimum engineering design standard of B.005 (P.005) level of service. Service to an interexchange carrier shall be provided at the grade of service ordered and specified by the interexchange carrier.
  - (3) Outside plant.

Each local exchange company shall design, construct and maintain subscriber loops to minimum transmission levels from the subscriber network interface or demarcation point as set forth below:

- (a) Voice grade, local exchange telecommunications service.
- (i) Transmission loss (TL) from the central office to the subscriber network interface not to exceed - 8.5 dB at 1004 Hz;
- (ii) A minimum line current of 20 milliamperes DC measured across an assumed station resistance of 430 ohms;
- (iii) Total external loop resistance excluding customer premises equipment (CPE), shall not exceed the basic range requirement of the exchange switch (1500 ohms). Range extension equipment (1800-2800 ohms) should be applied to those subscriber loops which are longer (i.e., having more resistance) than the basic working range of the central office.

- (iv) Circuit noise objective on subscriber loops measured at the subscriber network interface should be equal to or less than 20.0 dBrnC.
  - (b) Customer premises equipment (CPE) to switched service(s).
- (i) Transmission loss (TL) from the central office to the subscriber network interface not to exceed 8.5 dB at 1004 Hz; transmission enhancement may be provided by option.
- (ii) A minimum line current of 20 milliamperes DC measured across an assumed CPE resistance of 430 ohms.
  - (c) Special circuits.
- (i) Each local exchange company with over fifty thousand access lines shall maintain design criteria for special circuits. Channel performance criteria shall be made available to subscribers by the local exchange company upon request.
- (ii) Off premises station circuits shall not exceed 5.0 dB at 1004 Hz, from demarcation (CPE switch) to demarcation (CPE station).
  - (d) Digital services.

Each local exchange company shall conform to the following digital private line circuit performance standards:

- (i) Error free performance for nonswitched, dedicated circuits provided over copper transmission facilities, expressed in terms of a percentage of time in seconds when the circuit is available, shall be no less than 98.75% error free seconds for DS1, 99.86% for DS1 self healing and alternate route protection services and 99.875% error free seconds for DDS.
- (ii) Error free performance for nonswitched, dedicated circuits provided over fiber optic transmission facilities, expressed in terms of a percentage of time in seconds when the circuit is available, shall be no less than 99.86% error free seconds for DS1 self healing and alternate route protection services, and 99.99% for services provided at DS3 and above.
- (iii) Circuit availability for nonswitched, dedicated circuits, expressed as the percentage of total calendar month minutes, shall be no less than 99.7% for services provided over copper transmission facilities and 99.9% for services provided over fiber optic transmission facilities. A digital transmission channel is considered unavailable, or in an outage condition, when its bit error rate (BER) in each second is worse than 10(-6) for a period of ten consecutive seconds.
- (iv) Upon the request of a subscriber, a local exchange company may provide to that subscriber digital services that do not meet the performance standards set forth in (d)(i) through (iii) of this subsection.

[Statutory Authority: RCW 80.01.040. 93-06-055 (Order R-384, Docket No. UT-921192), § 480-120-515, filed 2/26/93, effective 3/29/93.]

WAC 480-120-520 Major outages and service interruptions. (1) Each local exchange company and interexchange telecommunications company shall make reasonable provisions to minimize the effects of major outages resulting from failures of power service, climate control, fire, explosion, water, storm, or force majeure. For purposes of this section, a major outage is defined as a service failure lasting for thirty or more minutes, which causes the disruption of local exchange or toll services to more than one

thousand subscribers, or which causes the total loss of service to a governmental emergency response agency.

- interexchange exchange company and Each local inform and train pertinent telecommunications company shall employees as to procedures to be followed in the event of a major outage in order to prevent or minimize interruption or impairment of service.
- and interexchange (3) Each local exchange company telecommunications company shall maintain, revise, and provide to the commission upon request, its current plans for emergency operation, including current plans for recovery of service to governmental disaster recovery response agencies within the state Each local exchange company and interexchange telecommunications company shall maintain on file with commission's disaster services coordinator the titles and telephone numbers of the local exchange and interexchange telecommunications company's disaster services coordinator and alternates. coordination of disaster response and recovery operations, each local exchange company and interexchange telecommunications company shall maintain on file with the Washington state emergency management division, communications office, the titles telephone numbers of the company's local or regional network operations center or emergency operations center.
- (4) Upon notification or detection of a major outage, each local exchange company and interexchange telecommunications company shall as soon as reasonably practicable notify the commission's disaster services coordinator. In addition, when a major outage is deemed as an outage that may require coordination of disaster response and recovery operations, it shall also be reported to the department of community development emergency management division. During major disaster response and recovery operations, restoration and progress of recovery work will be coordinated, monitored and maintained in the state's emergency operations center.

A company affected by a major outage shall report daily to the commission on the progress of restoration and recovery work until full network recovery has been obtained.

When service has been fully restored the company shall report to the commission within thirty days details about the cause of the interruption and the steps taken to prevent any recurrence. requirement shall not apply to interruptions to service made by the company in accordance with the provisions of contracts between the company and its subscribers or other planned interruptions carried in conjunction with normal operational and maintenance requirements of the company.

- Each local exchange company and interexchange telecommunications company shall develop and implement procedures for the dissemination of information about major outage recovery efforts to the news media, public, and public officials.
- Local exchange companies and interexchange telecommunications companies shall keep a record of each major outage, including a statement of the time, cause, extent, and duration of the interruption.
- (7) Whenever, in connection with its work, a local exchange company or interexchange telecommunications company intends to interrupt service, those subscribers who may be affected shall be notified in advance, unless exigencies of the situation do not permit.

- (8) All reported interruptions of telecommunications service shall be restored within two working days, excluding Sundays and holidays, except interruptions caused by emergency situations, unavoidable catastrophes, and force majeure.
- (9) Cases of service interruptions affecting public health and safety shall receive priority restoral attention under any and all conditions, particularly in time of disaster. Every appropriate resource must be utilized. Service shall be restored within twelve hours unless conditions beyond the company's control prevent service restoration.
- (10) Each local exchange company shall test and attempt to correct any service affecting intercompany and toll trunk problem (except a total outage) within four hours after the problem is reported. For the purposes of this section, service affecting problems are those that create an "all circuits busy" condition. If the problem is not corrected within this time frame, the company shall keep all other affected telecommunications utilities advised on a daily basis as to the current status. For a total outage (total isolation between near and far end network switches), the response time shall be immediate and repairs shall be effected as soon as possible.
- (11) Each local exchange company shall by June 1993, where economically and technically feasible, arrange and design incoming trunks to the primary repair service center so that traffic overflows during emergencies can be redirected or call forwarded to an alternate repair/maintenance service center location of the local exchange company.

[Statutory Authority: RCW 80.01.040. 93-06-055 (Order R-384, Docket No. UT-921192), § 480-120-520, filed 2/26/93, effective 3/29/93.]

- WAC 480-120-525 Network maintenance. (1) Except during periods of emergency operation, each local exchange company shall answer eighty percent of repair calls within thirty seconds.
- (2) Each local exchange company shall adopt maintenance procedures and employee instructions aimed at achieving efficient operation of its system so as to permit the rendering of safe, adequate, and continuous service at all times. Effective maintenance shall include but not be limited to, keeping all facilities in safe and serviceable repair. Examples are:
- (a) Hazardous conditions endangering persons, property, or the continuity of service when found, reported, or known to exist, shall be immediately corrected. The accumulation of trash and other fire hazards in or upon central office premises shall not be permitted.
- (b) Broken, damaged, or deteriorated equipment, when found to be no longer capable of providing adequate service, shall be promptly repaired or replaced.
- (c) Transmission problems, including noise induction, crosstalk, or other poor transmission characteristics on any channel, shall be promptly corrected when located or identified.
- (d) Central offices equipped with automatic start generators shall have three hours reserve battery capacity, and central offices without automatic start generators, shall have a minimum of five hours reserve battery capacity. For each office without permanently installed emergency power facilities, the company shall

ensure access to a readily connectable mobile power unit with enough power capacity to carry the load and which can be delivered within one half of the expected battery reserve time.

- (e) Trouble reports by exchange shall not exceed four trouble reports per one hundred access lines per month for two consecutive months, nor shall they exceed four trouble reports per month for four months in any one twelve-month period. This standard shall not apply to trouble reports relating to the operation of customer premises equipment, nor shall it apply to extraordinary or abnormal conditions of operation, such as those resulting from emergency or catastrophe or disruptions of service caused by persons or entities other than the local exchange company.
- (f) Test apparatus should be installed and maintained at appropriate locations to determine the operating characteristics of network systems.
- (g) Air pressurization policies and an air pressurization alarm monitoring program should be established where appropriate for the continuous and safe operation of pulp underground cables.
- (h) Sufficient portable power systems should be available to support up to the largest remote subscriber carrier site.
- (i) If technically and economically feasible, route and circuit diversity should be established within the network, particularly where interoffice and toll network performance and integrity could be at risk.

[Statutory Authority: RCW 80.01.040. 93-06-055 (Order R-384, Docket No. UT-921192), § 480-120-525, filed 2/26/93, effective 3/29/93.]

- WAC 480-120-530 Emergency services. (1) At least once every twenty-four hours, each local exchange company and each interexchange telecommunications company owning, operating, or maintaining any portion of any dedicated 911 circuit shall manually test for continuity such portion of the 911 circuit which it owns, operates, or maintains; provided, however, that the foregoing requirement shall not apply to any dedicated 911 circuit, or portion thereof, with respect to which either (a), (b), or (c) of this subsection, or any combination thereof, is satisfied:
- (a) The circuit is carried by a transmission system (e.g., T-1 carrier) that is equipped with one or more alarms to detect loss of signal continuity; or
- (b) The circuit is equipped with one or more alarms to detect loss of signal continuity; or
- (c) The circuit is automatically tested for signal continuity at least once every twenty-four hours. Any dedicated 911 circuit found to be defective shall be immediately reported to the primary public safety answering point (PSAP) manager, and repairs shall be undertaken promptly and pursued diligently by the telecommunications company which has responsibility for operating and/or maintaining the circuit. Nothing in this section shall be construed to require any telecommunications company to test or repair any portion of any dedicated 911 circuit which is not owned, operated, or otherwise maintained by it.
- (2) Each local exchange company shall develop and institute by April 1, 1993, a circuit identification and protection program for dedicated 911 circuits. The program shall be fully implemented by July 1994. This program shall ensure that all dedicated 911

circuits and associated electronic equipment serving governmental emergency response agencies are clearly identified as such in every central office and remote switch.

[Statutory Authority: RCW 80.01.040. 95-09-002 (Order R-428, Docket No. UT-941292), § 480-120-530, filed 4/6/95, effective 5/7/95; 93-06-055 (Order R-384, Docket No. UT-921192), § 480-120-530, filed 2/26/93, effective 3/29/93.]

WAC 480-120-535 Service quality performance reports. Beginning June 1, 1993, each local exchange company shall submit the following reports as indicated:

- (1) Each local exchange company shall demonstrate upon request by the commission that the performance of its central office switch(es) meets acceptable central office performance standards.
- (2) Local exchange companies with less than fifty thousand access lines shall file appropriate reports according to subsection (3)(a) through (c) of this section, when deemed necessary by the commission, and shall file the report required by subsection 3(d) of this section on a monthly basis. Performance records for such companies shall be kept in a format suitable for each local exchange company's operation and in such condition that they can be forwarded to the commission upon request or as required by this section.
- (3) Local exchange companies with over fifty thousand access lines shall report monthly the information required by (a) through (d) of this subsection.
  - (a) Installation appointments met.

This report measures the percentage of appointments for the connection of service met on the commitment date. The actual date on which installation was completed shall be compared to the applicable commitment date to determine the percentage of appointments met.

(b) Held orders.

For purposes of this section a held order is any request for primary exchange service that is not filled on or before the commitment date. This report measures the provisioning of primary exchange access lines in locations where there are presently no company services or facilities, and locations where service is presently being provided, but where the company is temporarily unable to provide service to new subscribers because of a lack of facilities. The number of held orders shall be expressed as a ratio per one hundred new or reestablished lines ordered.

(c) Regrade orders held.

This report measures the number of requests for higher grades of service (e.g., a request to upgrade from multiparty to single party service) unfilled for more than thirty days. The number of regrade requests unfilled for more than thirty days shall be expressed as a ratio per one hundred requests for regrades (new requests plus unfilled requests from the previous months).

(d) Trouble reports.

This report measures the number of subscribers indicating improper functioning of service. The total number of initial trouble reports (including repeated reports) shall be expressed as a ratio per one hundred lines in service. Trouble reports related to customer premises equipment shall not be included. This measurement shall be reported on an exchange basis.

(4) When the commission believes it is necessary to investigate or address such problems as excessive levels of subscriber or consumer complaints, or otherwise to protect the public interest, the commission may request further detailed information from companies with more than fifty thousand access lines for subsection (3)(a) through (d) of this section, by geographic or service unit. Performance records for such companies shall be kept in a format suitable for each local exchange company's operation and in such condition that they can be forwarded to the commission upon request.

[Statutory Authority: RCW 80.01.040. 93-06-055 and 93-14-119 (Orders R-384 and R-389, Docket No. UT-921192), § 480-120-535, filed 2/26/93 and 7/2/93, effective 3/29/93 and 8/2/93.]

## Before the Federal Communications Commission Washington, D.C. 20554

FCC 96-93

		FCC 96-93
In the Matter of Federal-State Joint Board on Universal Service	) ) ) )	Docket No. 96-45
CERTIFICATE OF	SERVICE	
I certify under penalty of perjury under that on April 10, 1996, I served true and cor Washington Utilities and Transportation Com on the following persons as set forth below:	rect copies	s of Comments of
Honorable Reed E. Hundt Chairman Federal Communications Commission 1919 M Street NW, Rm. 814 Washington, D.C. 20554	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Honorable Andrew C. Barrett Commissioner Federal Communications Commission 1919 M Street NW, Rm. 826 Washington, DC 20554	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Honorable Susan Ness Commissioner 1919 M Street NW, Rm. 832 Washington, DC 20554	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Honorable Julia Johnson Commissioner Florida Public Service Commission 2540 Shumard Oak Blvd.	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax

Tallahassee, FL 32399-0850

Honorable Kenneth McClure Vice Chairman Missouri Public Service Commission 301 West High Street, Ste. 530 Jefferson City, MO 65102		First Class Mail Overnight Delivery Hand Delivered Fax
Honorable Sharon Nelson Chairman Washington Utilities and Transportation Commission P.O. Box 47250 Olympia, WA 98504-7250	[ ] [xx]	First Class Mail Overnight Delivery Hand Delivered Fax
Honorable Laska Schoenfelder Commissioner South Dakota Public Utilities Comm'n 500 East Capital Avenue Pierre, SD 57501	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Martha S. Hogerty Public Counsel State of Missouri P.O. Box 7800 Jefferson City, MO 65102	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Mark Long Florida Public Service Commission 2540 Shumard Oak Blvd. Tallahassee, FL 32399-0850	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Samuel Loudenslager Arkansas Public Service Commission P.O. Box 400 Little Rock, AR 72203-0400	[]	First Class Mail Overnight Delivery Hand Delivered Fax
Sandra Makeeff Iowa Utilities Board Lucas State Office Building Des Moines, IA 50319	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Philip F. McClelland Pennsylvania Office of Consumer Advocate 1425 Strawberry Square Harrisburg, PA 17120	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax

Michael A. McRae D.C. Office of the People's Counsel 1133 15th Street NW, Ste. 500 Washington, DC 20005	[ ]	,
Rafi Mohammed Federal Communications Commission 2000 L Street NW, Ste. 812 Washington, DC 20036	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Terry Monroe New York Public Service Commission Three Empire Plaza Albany, NY 12223	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Andrew Mulitz Federal Communications Commission 2000 L Street NW, Ste. 257 Washington, DC 20036	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Deborah Dupont Federal Staff Chair Federal Communications Commission 2000 L Street NW, Ste. 257 Washington, DC 20036		First Class Mail Overnight Delivery Hand Delivered Fax
Paul E. Pederson State Staff Chair Missouri Public Service Commission P.O. Box 360 Jefferson City, MO 65102	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Eileen Benner Idaho Public Utilities Commission P.O. Box 83720 Boise, ID 83720-0074		First Class Mail Overnight Delivery Hand Delivered Fax
Charles Bolle South Dakota Public Utilities Comm'n 500 East Capital Avenue Pierre, SD 57501-5070		First Class Mail Overnight Delivery Hand Delivered Fax
William Howden Federal Communications Commission 2000 L Street NW, Ste. 812 Washington, DC 20036		First Class Mail Overnight Delivery Hand Delivered Fax

Lorraine Kenyon Alaska Public Utilities Commission 1016 West Sixth Avenue, Ste. 400 Anchorage, AK 99501	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Debra M. Kriete Pennsylvania Public Utilities Comm'n P.O. Box 3265 Harrisburg, PA 17105-3265	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Clara Kuehn Federal Communications Commission 2000 L Street NW, Ste. 257 Washington, DC 20036	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Mark Nadel Federal Communications Commission 1919 M Street NW, Rm. 542 Washington, DC 20554	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Gary Oddi Federal Communications Commission 2000 L Street NW, Ste. 257 Washington, DC 20036	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Teresa Pitts Washington Utilities and Transportation Commission P.O. Box 47250 Olympia, WA 98504-7250	[xx]	First Class Mail Overnight Delivery Hand Delivered Fax
Jeanine Poltronieri Federal Communications Commission 2000 L Street NW, Ste. 257 Washington, DC 20036	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
James Bradford Ramsay National Assoc. of Regulatory Utility Commissioners 1201 Constitution Avenue NW Washington, DC 20423	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Jonathan Reel Federal Communications Commission 2000 L Street NW, Ste. 257 Washington, DC 20036	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax

Brian Roberts California Public Utilities Comm'n 505 Van Ness Avenue San Francisco, CA 94102-3298	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Gary Seigel Federal Communications Commission 2000 L Street NW, Ste. 812 Washington, DC 20036	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Pamela Szymczak Federal Communications Commission 2000 L Street NW, Ste. 257 Washington, DC 20036	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Whiting Thayer Federal Communications Commission 2000 L Street NW, Ste. 812 Washington, DC 20036		First Class Mail Overnight Delivery Hand Delivered Fax
Deborah S. Waldbaum Colorado Office of Consumer Counsel 1580 Logan Street, Ste. 610 Denver, CO 80203	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Alex Belinfante Federal Communications Commission 1919 M Street NW Washington, DC 20554	[ ]	First Class Mail Overnight Delivery Hand Delivered Fax
Larry Povich Federal Communications Commission 1919 M Street NW Washington, DC 20554		First Class Mail Overnight Delivery Hand Delivered Fax

DATED and signed at Olympia, Washington, on April 10, 1996.

apply Jacques
APPLYL JACQUES